

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

The following listing of claims will replace all prior versions and listings of claims in the application:

1-5 (Canceled)

- 1 6. (Currently amended) A customizable application system comprising:
2 an application execution system configured to support an internet application, the
3 internet application including metadata configured for use in generating an application user
4 interface, the application execution system including,
5 a) a user interface generator configured to generate the application user interface,
6 and
7 b) a web application server configured to deliver the application user interface to
8 a client;
9 an application development system configured to generate the metadata, the
10 metadata being further configured to characterize a user customizable find command included in
11 the application user interface;
12 a configuration system including a configuration engine and a configuration
13 interface, the configuration interface configured to modify configuration data further
14 characterizing the user customizable find command in response to receiving input from a user
15 defining a property for the user customizable find command; and
16 a data repository including a data record for storing the configuration data, the
17 data record being accessible using the metadata, wherein the application user interface is
18 automatically generated and configured with the property for the find command.

1 7. (Previously Presented) The customizable application system of claim 6,
2 wherein the user customizable find command is user configurable to search data displayed in the
3 application user interface.

1 8. (Previously Presented) The customizable application system of claim 6,
2 wherein the user customizable find command is user configurable to search all rows associated
3 with a result, a subset of all rows being displayed in the application user interface.

1 9. (Previously Presented) The customizable application system of claim 6,
2 wherein the user customizable find command is alternatively configurable to search only data
3 displayed in the application user interface or to search all rows associated with a result, a subset
4 of all rows being displayed in the application user interface.

1 10. (Previously Presented) The customizable application system of claim 9,
2 wherein the result is a result of a query.

1 11. (Previously Presented) The customizable application system of claim 9,
2 wherein the result is a result of a find command.

1 12. (Previously Presented) The customizable application system of claim 6,
2 wherein the application user interface is configured for display at the client using standard web
3 browser protocols.

1 13. (Previously Presented) The customizable application system of claim 6,
2 wherein the user customizable find command is configurable to search a subset of all rows
3 associated with a result, the search being responsive to the identity of a user.

1 14. (Previously Presented) The customizable application system of claim 6,
2 wherein a customizable state of the user customizable find command persists from one use of the
3 application user interface to another use of the application user interface.

1 15. (Currently amended) A customizable application system comprising:

2 an application execution system configured to support an internet application, the
3 internet application including metadata configured for generating a plurality of application user
4 interfaces each having a user customizable find command, the application execution system
5 having:

6 a) a user interface generator configured to generate at least one of the plurality of
7 application user interface, and

8 b) a web application server configured to deliver at least one of the plurality of
9 application user interfaces to a client,

10 the user customizable find command being alternatively configurable to search all
11 of a result or to search only a subset of the result, the subset of the result being displayed in at
12 least one of the plurality of application user interfaces;

13 a personalization system including a personalization engine and a user profile
14 interface, the personalization system configured to modify personalization data characterizing
15 the user customizable find command such that the user customizable find command is modified
16 in more than one of the plurality of application user interfaces, wherein the personalization data
17 is received from input from a user defining a property for the user customizable find command,
18 the property specifying whether the find command is configured to search all of the result or only
19 the subset of the result; and

20 a data repository including a data record for storing the personalization data, the
21 data record being accessible using the metadata, wherein user interface generator automatically
22 generates the application user interface, the application user interface configured with the
23 property for the find command.

1 16. (Previously Presented) The customizable application system of claim 15,
2 wherein the result is a result of a query.

1 17. (Previously Presented) The customizable application system of claim 15,
2 wherein the result is a result of a find command.

1 18. (Previously Presented) The customizable application system of claim 15,
2 wherein at least one of the plurality of application user interfaces is configured for display at the
3 client using standard web browser protocols.

1 19. (Previously Presented) The customizable application system of claim 15,
2 wherein the user customizable find command is responsive to the identity of a user.

1 20. (Previously Presented) The customizable application system of claim 15,
2 wherein a customizable state of the user customizable find command persists from one use of the
3 application user interface to another use of the application user interface.

1 21. (Currently amended) A customizable application system comprising:
2 an application execution system configured to support an internet application;
3 an application user interface including a user interface element, the application
4 user interface being configured as an interface between the internet application and a client and
5 being configured for delivery to the client over a computer network, the user interface element
6 including a find command user customizable with respect to a scope of data searched;
7 metadata characterizing the find command; and
8 a data repository including a data record further characterizing the find command,
9 the data record being user modifiable in response to receiving input from a user defining a
10 property for the user customizable find command and being accessible using the metadata, the
11 property specifying the scope of the data to search,
12 wherein the application user interface is automatically generated and configured
13 with the property for the find command.

1 22. (Previously Presented) The customizable application system of claim 21,
2 wherein the data searched is a result of a query or is a result of a find command.

1 23. (Previously Presented) The customizable application system of claim 21,
2 wherein the find command is alternatively customizable to search data displayed in the

3 application user interface or to search all rows associated with a result, a subset of all rows being
4 displayed in the application user interface.

1 24. (Previously Presented) The customizable application system of claim 21,
2 wherein the application user interface is configured for display at the client using standard web
3 browser protocols.

1 25. (Previously Presented) The customizable application system of claim 21,
2 further including a personalization system configured to modify the data record.

1 26. (Previously Presented) The customizable application system of claim 21,
2 wherein the application user interface is configured for display at the client using features of a
3 web browser, the features not requiring a browser add-on, plug-in, or extension.

1 27. (Previously Presented) The customizable application system of claim 21,
2 wherein the find command is configurable according to an identity of the client or to an identity
3 of a user.

1 28. (Previously Presented) The customizable application system of claim 21,
2 further including means for generating the application user interface using the metadata.

1 29. (Previously Presented) The customizable application system of claim 21,
2 further including an application server configured to support the internet application.

1 30. (Previously Presented) The customizable application system of claim 21,
2 further including another application user interface having the find command, wherein the data
3 record is configured to characterize the find command in both the application user interface and
4 the other application user interface.

1 31. (Previously Presented) The customizable application system of claim 21,
2 wherein a customizable state of the find command persists from one use of the application user
3 interface to another use of the application user interface.

1 32. (Previously Presented) The customizable application system of claim 21,
2 wherein the client is a wireless system.

1 33. (Currently amended) A computer readable medium including an internet
2 application, the internet application comprising:

3 metadata defining an application user interface, the application user interface
4 including a user interface element with a user customizable find command, the application user
5 interface configured for delivery to a client and configured to operate as an interface between a
6 user and the internet application, the user customizable find command being customizable with
7 respect to a scope of a search;

8 a user interface generator configured to generate the application user interface
9 using a user modifiable data record stored in a location physically remote from the client, the
10 user modifiable data record configurable to characterize the user customizable find command;
11 and

12 a configuration system configured for receive input from a user to modify the user
13 modifiable data record with a property for the find command, the property specifying the scope
14 of the search,

15 wherein the application user interface is automatically generated and configured
16 with the property for the find command.

1 34. (Currently amended) A computer readable medium including an internet
2 application, the internet application comprising:

3 an application designer configured to develop an application user interface, the
4 application user interface including a user interface element with a user customizable find
5 command, the application user interface configured for delivery to a client and configured to
6 operate as an interface between a user and the internet application, the user customizable find
7 command being customizable with respect to a scope of a search;

8 a user interface generator configured to generate the application user interface
9 using a user modifiable data record stored in a location physically remote from the client, the
10 user modifiable data record configurable to characterize the user customizable find command;
11 and

12 a configuration system configured ~~for~~ to receive a user input to modify the user
13 modifiable data record with a property for the find command, the property specifying the scope
14 of the search,

15 wherein the application user interface is automatically generated and configured
16 with the property for the find command.

35-47 (Canceled)

1 48. (Currently amended) An application execution system comprising:

2 means for supporting an internet application;

3 means for generating an application user interface using a user modifiable data
4 record configured to store data characterizing a user customizable find command search in
5 response to receiving input from a user defining a property for the user customizable find
6 command, wherein the application user interface is automatically generated and configured with
7 the property for the find command, the user customizable interface comprising the find command
8 being customizable with respect to the a scope of a search, the scope of the search based on the
9 property received; and

10 means for providing the application user interface to a user, the application user
11 interface including a user interface element, the application user interface configured as an
12 interface between the internet application and the user, the user interface element including the
13 user customizable find command, the user interface element configured for delivery to a client
14 over a computer network.